


Material:
 Beton : conform SR EN 206-1
 Beton simplu:
 C8/10, X0, Cl.0.2%, CEM I 32,5R, A/C = 0.65, S2 , Dmax.31
 C12/15, X0, Cl.0.2%, CEM I 32,5R, A/C = 0.65, S2 , Dmax.16
 Beton armat :
 C16/20 X0/XC2, Cl.0.2%, CEM II A-S 32,5R, A/C = 0.6, S3,
 Dmax.16 , dozaj minim de ciment: 260kg/mc
 OTEL
 BST500S, clasa de ductilitate "C",
 STNB- plase sudate
 Acop. min - 5cm



se vor citi impreuna plansele R01,R02, R03, R04, R05

Categoria de importanta a constructiei, conform HGR 766/1997:C
Clasa de importanta conform P100-1/2013-III.
 $a_g = 0.25g, T_c = 0.7 \text{ s}$,
Clasa de expunere a constructiei : mediu uscat moderat.

 MODVEST CONSTRUCT 2000	PROIECTARE, CONSULTANTA, ASISTENTA TEHNICA IN DOMENIILE CONSTRUCTII CIVILE, INDUSTRIALE SI AGRICOLE			 ISO 9001	 ISO 14001	 OHSAS 18001	 ISO Net
	J03/906.2006 TEL. / FAX 0242 1073, 0744804995 TEL. 0242 282131, 0768125222, 076682644						
S.C.MODVEST CONSTRUCT 2000 S.R.L. PITESTI							
(DENUMIREA PROIECTULUI) COMPLEX DE LOCUINTE PROTEJATE SI CENTRU DE COMUNA TICHENI, SATUL BARSUTII DE JOS, JUDE TUL ARGES, SI SMS 10269							
BENEFICIAR: JUDETUL ARGES, CALA DOROBANII NR.8, JUDE TUL ARGES ADRESA, num. Pibet, Calea Dorobanii nr.8, jud. Arges ADRESA IMOBIL, COMUNA TICHENI, SATUL BARSUTII DE JOS, JUDE TUL ARGES							
SCURTA 1:500.1:20							
nr. contract: 21868 / 06.10.2019							
data: dec. 2019							

**detalii armare fundatii:
7-7, 8-8, 9-9, 10-10
Plan armare placa b.a.
- suport pardoseala-**