

31.12.2013

VIABILITATEA DRUMURILOR JUDETENE ARGES

1. DJ 503 : Lim. Jud. Giurgiu - Slobozia - Rociu - Oarja - Catanele - (DJ 702 G - km 3+824)

Interval kilometric : 98 + 000 - 140 + 034

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
98+000	123+000					25,000		Slobozia	Rociu	98,000-113,000 buna	2	-	6,00 m	ses
123+000	133+772				10,772			Rociu	Oarja	113,000-121,600 f.rea				
133+772	137+049	3,277						Oarja	Oarja	121,600-140,034 buna				
137+049	140 + 034				2,985			Oarja	Catanele					
Total drum		3,277	0,000	0,000	13,757	25,000	0,000	Total drum: 42,034 km		(modernizat 17,034km)				

Suprapuneri cu alte drumuri: 111,000-111,610 suprapunere cu DJ 702F (0,610 km)

NOTA: Intersecteaza autostrada A1 la km.138+700

2. DJ 504 : Limita Jud.Teleorman - Popesti - Izvoru - Recea - Cornatel - Vulpesti - (DN 65 A - km 21+900)

Interval kilometric : 110 + 700 - 136 + 695

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
110 + 700	136+695				25,995			Popesti	Vulpesti	110,70-136,695 f. buna	2		6,00 m	ses
Total drum		0,000	0,000	0,000	25,995	0,000	0,000	Total : 25,995 km		(modernizat 25,995 km)				

Suprapuneri cu alte drumuri 120,710-120,940 suprapunere cu DJ 679C

NOTA: intersectie cu DJ 679 C la km 120,700; cu DJ. 679 D la km124.700'

3. DJ 508 : Cateasca (DJ 703 B) - Furduiesti - Teiu - Buta (DJ 659 - km 36+000)

Interval kilometric : 0 + 000 - 17 + 217

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14

0 + 000	17+217				17,217			Cateasca	Teiu - Buta	0,000-10,000 buna	2		6,00 m	ses
										10,000 - 12,000 f. buna				
										12,000 - 17,217 buna				
Total drum		0,000	0,000	0,000	17,217	0,000	0,000	Total : 17,217 km		(modernizat 17,217 km)				

4. DJ 659 : Int. DN 65 (116,800) - Pitesti - Bradu -Suseni - Gliganu de Sus - Barlogu - Negrasi - Mozaceni - Lim. Jud. Dambovita

Interval kilometric : 0 + 000 - 58 + 320

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	58+320				58,320			Pitesti	Lim.Jud.D-ta	0,000-58,320 buna	2			ses
Total drum		#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	Total : 58,320 km		(modernizat 58,320 km)				
Suprapuneri cu alte drumuri 18,700-18,770 suprapunere cu DC 112;:21,335-22,962 suprapunere cu DJ 703B; 38,605-39,715 suprapunere cu DJ 679 D														

5. DJ 659 A : Bradu (DJ 659 - km 8+556) - Costesti (DN 65 A km. 10+900)

Interval kilometric : 0 + 000 - 10 + 400

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	5+060				5,060			Bradu	Bradu	0,000-5,060 f. buna	2		6,00 m	ses
5+060	10+400					5,340		Bradu	Costesti	5,060-10,400 buna				
Total drum		0,000	0,000	0,000	5,060	5,340	0,000	Total : 10,400 km		(modernizat 5,060 km)				

6. DJ 678 A : Lim.Jud.Valcea (Dedulesti DN 7 km 155+988)-Poienari-Ciofrangeni-Tigveni-Barsesti-Cepari (DJ 703 H - km 13+000)

Interval kilometric : 25 + 290 - 50 + 933

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
25+290	39+196				13,906			Dedulesti	Tigveni	25,290-39,196 f.buna	2		6,00 m	deal
41+141	50+933				9,792			Tigveni	Cepari	41,141-50,697 f.buna				
Total drum		0,000	0,000	0,000	23,698	0,000	0,000	Total : 23,698 km		(modernizat 23,698 km)				

Suprapuneri cu alte drumuri: 39,196-41,141 suprapunere cu DN 73C

Nota; Lungimea reala este 21,599 km, primul tronson =11,906 km, al 2-lea = 9,693 km.

7. DJ 678 B : Lim. Jud. Valcea - Cuca (DJ 703 - km 9+675)

Interval kilometric : 26 + 950 - 27 + 862

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
26 + 950	27+862				0,912			Lim.Jud.Valcea	Cuca	26,950-27,862 buna	2		6,00 m	deal
Total drum		0,000	0,000	0,000	0,912	0,000	0,000	Total : 0,912 km		(modernizat 0,912 km)				

8. DJ 678 E : Teodoresti (DJ 703 - km 13+339) - Cotu - Lim. Jud. Valcea

Interval kilometric : 0 + 000 - 3 + 000

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0 + 000	3+000					3,000		Teodoresti	Cotu	0,000-3,000 buna	2		6,00 m	deal
Total drum		0,000	0,000	0,000	0,000	3,000	0,000	Total : 3,000 km		(modernizat 0,000 km)				

9. DJ 678 G : Radutesti (DJ 703 - km 19+145) - Ciomagesti - Lim. Jud.Olt

Interval kilometric : 0 + 000 - 8 + 400

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	3+000				3,000			Radutesti	Ciomagesti	0,000-3.000 f. buna				
3 + 000	8+400					5,400		Ciomagesti	Lim. Jud. Olt	3,000-8,400 buna	2		6,00 m	deal
Total drum		0,000	0,000	0,000	3,000	5,400	0,000	Total : 8,400 km		(modernizat 3,000 km)				

10. DJ 679 : Paduroiu (Poiana Lacului DN 67 B) - Sapata - Lunca Corbului - Barla - Lim. Jud. Olt

Interval kilometric : 0 + 000 - 48 + 220

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	13+037				13,037			P. Lacului	P.Lacului	0,000-47,670 buna	2		6,00 m	0+000
13+587	48+220				34,633			L.Corbului	Barla					48+220
Total drum		0,000	0,000	0,000	47,670	0	0,000	Total : 47,670 km		(modernizat 47,670 km)				

Suprapuneri cu alte drumuri 13,037-13,587 suprapuneri cu DN 65

11. DJ 679 A : Barla (DJ 679 - km 42+282) - Caldararu - Bucov - Palanga - Popesti (DJ 504 - km 111+400)

Interval kilometric : 0 + 000 - 27 + 725

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0 + 000	12+835					12,835		Barla	Caldararu	0,000-12,835 buna	2		6,00 m	ses
12+835	14+750				1,915			Caldararu	Caldararu	12,835-14,314 . buna				
14+750	20+625					5,875		Caldararu	Raca	14,314-20,625 buna				
20+625	27+725				7,100			Raca	Popesti	20,625-27,725 buna				
Total drum		0,000	0,000	0,000	9,015	18,710	0,000	Total : 27,725 km		(modernizat 9,015 km)				

Suprapuneri cu alte drumuri 14,750-17,835 suprapuneri cu DN 65 A ;

NOTA :pozitia km pe DN 65 A este km 43,500

12. DJ 679 C : Caldararu (DN 65 A - km 42+220) - Izvoru - Mozaceni (DJ 503 - km 104+024)

Interval kilometric : 0 + 000 - 23 + 215

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	0+715				0,715			Caldararu	Caldararu	0,000 - 0,715 f. buna	2		6,00 m	ses
0+715	2+317					1,602		Caldararu	Caldararu	0,715- 2,317 buna				
2+317	2+817				0,500			Caldararu	Caldararu	2,317-2+817 f. buna				
2+817	9+440					6,623		Caldararu	Izvoru	2,817-9,440 buna				
9+440	10+421				0,981			Izvoru	Izvoru	9,440-10,421 f. buna				
10+676	12+550				1,874			Izvoru	Izvoru	10,676 12,550 rea				
12+550	23+215					10,665		Izvoru	Mozaceni	12,550-23,215 buna				
Total drum		0,000	0,000	0,000	4,070	18,890	0,000	Total : 22,960 km		(modernizat 4,070 km)				

Suprapuneri cu alte drumuri 10,421-10,676 suprapuneri cu DJ 504; Intersectie DJ 659 la km 22,115

13. DJ 679 D : Malu (DJ 679 - km 38+940) - Coltu - Ungheni - Recea - Negrasi - Mozacu

Interval kilometric : 0 + 000 - 41 + 900

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14

0+000	4+000					4,000		Malu	Malu	0,000-4,000 buna	2		6,00 m	ses
4+000	7+000						3,000	Malu	Satu Nou	4,000-7,000 f. rea				
7+000	7+940					0,940		Satu Nou	Ungheni	7,000-7,940 buna				
7+940	14+940				7,000			Ungheni	Ungheni	7,940-14,940 buna				
14+940	34+500					19,560		Ungheni	Recea, Negrasi	14,940-22,000 buna				
34+500	34+687				0,187			Negrasi	Negrasi	22,000-30,200 f. rea				
34+687	41+900					7,213		Negrasi	Mozacu	30,200-34,500 rea				
										34,500-34,687 f. buna				
										34,687-38,187 buna				
										38,187-41,900 rea				
Total drum		0,000	0,000	0,000	7,187	31,713	3,000	Total : 41,900 km		(modernizat 7,187 km)				

Nota :Suprapunere cu DN 65 A km 14+940-16+940

14. DJ 679 E : Bucov (DJ 679 A - km 20+625) - Raca - Lim. Jud. Teleorman

Interval kilometric : 0 + 000 - 7 + 144

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8		10	11	12	13	14
0+ 000	2+590				2,590			Bucov	Lim.Jud.T-man	0,000-1,500 buna	2		6,00 m	ses
2+590	7+144					4,554				1,500-2,590 f buna				
										2,590-5,200 buna				
										5,200-7,144 rea				
Total drum		0,000	0,000	0,000	2,590	4,554	0,000	Total : 7,144 km		(modernizat 2,590 km)				

15. DJ 679 F : Mozaceni (DJ 679 - km 46+762) - Badesti Bai

Interval kilometric : 0 + 000 - 6 + 500

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+ 000	5+300				5,300			Mozaceni	Badesti Bai	0,000-5,300 buna	2		6,00 m	ses
5+300	6+500					1,200				5,300-6,500 f. rea				
Total drum		0,000	0,000	0,000	5,300	1,200	0,000	Total : 6,500 km		(modernizat 5,300 km)				

16. DJ 702 : Topoloveni (DN 7 - km 95+000) - Dobresti - Botesti - Lim. Jud. Dambovita

Interval kilometric : 0 + 000 - 28 + 000

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+ 000	28+000				28,000			Topoloveni	Botesti	0,000-28,000 f. buna	2		6,00 m	deal
Total drum		0,000	0,000	0,000	28,000	0,000	0,000	Total : 28,000 km		(modernizat 28,000 km)				

17. DJ 702 A : Lim. Jud. Dambovita - Ciupa - Nejlovelu - Teiu (DJ 508)

Interval kilometric : 33 + 030 - 42 + 528

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
33+ 030	33+315				0,285			Ratesti	Ratesti	33,030-39,480 buna	2		6,00 m	ses
33+315	35+696					2,381		Ratesti	Ciupa	39,480-42,528 buna				
35+696	42+528				6,832			Ciupa	Teiu					
Total drum		0,000	0,000	0,000	7,117	2,381	0,000	Total : 9,498 km		(modernizat 7,117 km)				

18. DJ 702 C : Leordeni (DN 7 - km 89+565) - Bogati - Suseni - Lim. Jud. Dambovita

Interval kilometric : 0 + 000 - 17 + 380

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+ 000	13+405				13,405			Leordeni	Bogati	0,000-8,900 buna	2		6,00 m	deal
13+405	17+380					3,975		Bogati	Bogati	8,900-11,610 f. buna				
										11,610-13,405 buna				
										13,405-17,380 rea				
Total drum		0,000	0,000	0,000	13,405	3,975	0,000	Total : 17,380 km		(modernizat 13,405 km)				

19. DJ 702 F : Lim. Jud. Dambovita - Slobozia (DJ 659 - km 53+015)

Interval kilometric : 14 + 000 - 21 + 920

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
14+000	18+190					4,190		Rascaietii	Slobozia	14,000-19,680 buna	2		6,00 m	ses
18+800	19+650					0,850		Slobozia	Slobozia	19,680-21,920 f. buna				
19+650	21+920				2,270			Slobozia	Slobozia					
Total drum		0,000	0,000	0,000	2,270	5,040	0,000	Total : 7,310 km		(modernizat 2,270 km)				
Suprapuneri cu alte drumuri 18,190 - 18,800, L = 0,610 km suprapunere cu DJ 503														

20. DJ 702 G : Recea (A1 - km 107+2,55) - Catanele - Coseri - Cateasca - Ratesti - Lim. Jud. Dambovita

Interval kilometric : 0 + 000 - 21 + 053

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+ 000	4+179	4,179						Cateasca	Cateasca	0,000-12,240 buna	2		6,00 m	ses
4+179	7+638				3,459			Cateasca	Cateasca	12,423-21,053 buna				
7+638	12+240	4,602						Cateasca	Cateasca					
12+423	21+ 053				8,630			Cateasca	Ratesti					
Total drum		8,781	0,000	0,000	12,089	0,000	0,000	Total : 20,870 km		(modernizat 20,870 km)				
Suprapuneri cu alte drumuri 12,240-12,423 suprapuneri cu DJ 703 B														

21. DJ 702 H : Lim. Jud. Dambovita - Lesile (DC 100)

Interval kilometric : 10 + 000 - 12 + 700

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	

0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
10+000	12+700						2,700	Lesile	Lesile	10,000-12,700 rea	1		4,00 m	ses
Total drum		0,000	0,000	0,000	0,000	0,000	2,700	Total : 2,700 km		(modernizat 0,000 km)				

22. DJ 702 J : Lim. Jud. Dambovita - Neajlovelu (DJ 702 A - km 38+630)

Interval kilometric : 2 + 700 - 6 + 000

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
2 + 700	6+000					3,300		Lim.Jud.D-ta	Neajlovelu	2,700-6,000 buna	2		6,00 m	ses
Total drum		0,000	0,000	0,000	0,000	3,300	0,000	Total : 3,300 km		(modernizat 0,000 km)				

23. DJ 703 : Moraresti (DN 7 - km 150+950) - Cuca - Ciomagesti - Lim. Jud. Olt

Interval kilometric : 0 + 000 - 22 + 845

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	11+720				11,720			Moraresti	Cuca	0,000-9,720 buna	2		6,00 m	deal
11+720	20+845					9,125		Cuca	Ciomagesti	9,720-11,720 buna				
20+845	22+845				2,000			Ciomagesti	Ciomagesti	11,720-22,845 buna				
Total drum		0,000	0,000	0,000	13,720	9,125	0,000	Total : 22,845 km		(modernizat 13,720 km)				

24. DJ 703 A : Cotmeana (DN 7 - km 144+320) - Cocu - Poiana Lacului - Cerbu (DN 65 - km 106+285)

Interval kilometric : 0 + 000 - 37 + 682

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	8+500				8,500			Cotmeana	Cocu	0,000-24,096 buna	2		6,00 m	
8+500	8+780					0,280				24,096-28,796 f. buna				0+000
8+780	10+222	1,442						Cocu	Cocu	28,796 - 37,682 buna				27+796 deal
10+222	18+738				8,516			Cocu	Cocu					28+796
18+738	19+396	0,658						Cocu	P. Lacului					37+682
19+396	20+120				0,724			P. Lacului	P. Lacului					ses
20+120	20+350	0,230						P. Lacului	P. Lacului					
20+350	24+294				3,944			P. Lacului	P. Lacului					
24+294	28+796	4,502						P. Lacului	P.Lacului					
28+796	31+939					3,143		P. Lacului	Cerbu					
31+939	37+682				5,743			Cerbu	int. DN 65					
Total drum		6,832	0,000	0,000	27,427	3,423	0,000	Total : 37,682 km		(modernizat 34,259 km)				

Suprapuneri cu alte drumuri; 17+000-17,245 cu DJ 703E

0 + 000	2+035	2,035						Pitesti	Pitesti	0,000-27,500 buna	2		6,00 m	deal
2+035	20+000				17,965			Trivale	Mosoaia, Cocu					
20+245	21+285				1,040			Cocu	Cocu					
21+285	21+420					0,135		Cocu	Cocu					
21+420	23+300				1,880			Cocu	Uda					
23+300	27+500					4,200								
Total drum		2,035	0,000	0,000	20,885	4,335	0,000	Total : 27,255 km		(modernizat 22,920 km)				
Suprapuneri cu alte drumuri: 20,000-20,245 suprapunere cu DJ 703A														

27. DJ 703 F : Lim. Jud. Valcea (Zamfiresti) - Urluiesti - Cepari (DJ 678 A - km 42+733)

Interval kilometric : 20+600 - 25+385

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
20+ 600	21+990					1,390		Urluiesti	Urluiesti	20,600-25,385 buna	2		6,00 m	deal
21+990	22+490				0,500			Urluiesti	Urluiesti					
22+490	22+940					0,450		Urluiesti	Urluiesti					
22+940	25 + 385				2,445			Urluiesti	Urluiesti					
Total drum		0,000	0,000	0,000	2,945	1,840	0,000	Total : 4,785 km		(modernizat 2,945 km)				

28. DJ 703 G : Lim. Jud. Valcea - Ianculesti - Suici (DJ 703 H - km 15+964)

Interval kilometric : 14+000 - 20+211

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	14	14
14+000	17+231					3,231		Ianculesti	Ianculesti	14,000-17,231 buna	2		5,00 m	munte
17+231	20+211				2,980			Ianculesti	Suici	17,231-20,211 buna				
Total drum		0,000	0,000	0,000	2,980	3,231	0,000	Total: 6,211 km		(modernizat 2,980 km)				

29. DJ 703 H : Curtea de Arges (DN 7 C - km 35+000) - Valea Danului - Cepari - Suici - Lim. Jud. Valcea

Interval kilometric : 0+000 - 29+800

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
---------------------	--	--	--	--	--	--	--	-------------------------	--	----------------------	-----	--------	--------	--------

Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	14	14
0+000	0+800				0,800			C.de Arges	C.de Arges	0,000-7,830 buna	2		6,00 m	restrictie
0+800	1+115		0,315					C.de Arges	Valea Danului	7,830-9,475 buna				tonaj
1+115	9+475				8,360			Valea Danului	Valea Danului	9,475-10,364 buna				2,5 tone
9+475	10+364					0,889		Valea Danului	Cepari	10,364-12,864 buna				
10+364	12+864	2,500						Cepari	Suici	12,864-25,058 buna				
12+864	25+058				12,194			Suici	Salatrucu	25,058-29,800 f. rea				
25+058	29+800						4,742	Salatrucu	Salatrucu					
Total drum		2,500	0,315	0,000	21,354	0,889	4,742	Total: 29,800 km		(modernizat 24,169 km)				

Nota: Intersecteaza DJ. 678 A la km. 13,00

30. DJ 703 I : Merisani (DN 7 C - km 12+450)-Musatesti-Bradulet-Bradet - Lac Vidraru (DN 7 C - km 64+400)

Interval kilometric: 0+000-60+500

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	26+447				26,447			Merisani	Musatesti	0,000-26,447 buna	2		6,00 m	0,000-
28+822	42+082				13,260			Musatesti	Bradet	28,822-42,082 f. buna				30,00 deal
42+082	49+082					7,000		Bradet	Bradet	42,082-49,082 buna				30,000-
49+082	53+600				4,518			Bradet	Bradet	49,082-53,600 f. buna				41,6 munte
53+600	60+500					6,900		Bradet	Ch. Vilsan - La Vidraru	53,600-60,500 buna				
Total drum		0,000	0,000	0,000	44,225	13,900	0,000	Total drum: 58,125 km		(modernizat 44,225 km)				

Suprapuneri cu alte drumuri: 26,447-28,822 suprapunere cu DN 73 C L = 2,375 km

31. DJ 703 K : Maracineni (DN 73 - km 3+200) - Budeasa - Valea Marului (DJ 703 I - km 0+533)

Interval kilometric: 0+000-15+682

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	2+560				2,560			Maracineni	Budeasa	0,000-3,000 buna	2		6,00 m	deal
2+560	2+880		0,320					Budeasa	Budeasa	3,000-5,000 buna				

2+880	3+500				0,620			Budeasa	Budeasa	5,000-15,682 buna				
3+500	3+950			0,450				Budeasa	Budeasa					
3+950	15+682				11,732			Budeasa	Budeasa					
Total drum		0,000	0,320	0,450	14,912	0,000	0,000	Total drum: 15,682 km		(modernizat 15,682 km)				

32. DJ 703 L : Musatesti (DN 73 C - km 25+400) - Schitu Robaia

Interval kilometric 0+000-6+500

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	3+540				3,540			Musatesti	Musatesti	0,000-3,540 buna	1		5,50 m	subalpin
3+540	6+500					2,960		Musatesti	Robaia	3,540-5,000 buna				
Total drum		0,000	0,000	0,000	3,540	2,960	0,000	Total drum: 6,500 km		(modernizat 3,540 km)				

33. DJ 704 B : Calinesti (DN 7 km 99+210) - Rancaciov - Racovita (DC 85)

Interval kilometric:0+000-21+200

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	8+280				8,280			Gorganu	Rancaciov	0,000-3,354 buna	2		6,00 m	deal
8+280	9+200					0,920		Rancaciov	VI. Corbului	3,354-9,200 buna				
9+200	15+500						6,300	VI. Corbului	Racovita	9,200-15,500 f. rea				
15+500	21+200					5,700		Racovita	Racovita	15,500-21,200 buna				
Total drum		0,000	0,000	0,000	8,280	6,620	6,300	Total drum: 21,200 km		(modernizat 8,280 km)				

34. DJ 704 C : Radu Negru - Vranesti - Udeni - Catanele (DJ 702 G - km 3+824)

Interval kilometric 0+000-10+000

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	1+900					1,900		Radu Negru	Vranesti	0,000-5,300 buna	2		6,00 m	0,000-
1+900	5+300				3,400			Vranesti	Udeni	5,300-9,200 rea				5,000 deal
5+300	9+200		3,900					Udeni	Udeni	9,200-10,000 buna				5,000-
9+200	10+000					0,800		Udeni	Udeni					10,000 ses
Total drum		0,000	3,900	0,000	3,400	2,700	0,000	Total drum:10,000 km		(modernizat 7,300 km)				

Nota : Suprapunere DN 7 km 5+300-5+360

35. DJ 704 D : Prislop (DN 7 - km 125+500) - Lupuieni (DJ 703 E - km 12+400)

Interval kilometric 0+000-2+500

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	2+500					2,500		Prislop	Lupuieni	0,000-2,500 buna	2		5,50 m	deal
Total drum		0,000	0,000	0,000	0,000	2,500	0,000	Total drum: 2,500 km		modernizat 0,000 km				

36. DJ 704 E : Ursoaia (DN 7 km 135+410) - Bascovele - Cearesti (DJ 678 A - km 28+700)

Interval kilometric 0+000-22+500

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	3+100				3,100			Ursoaia	Ursoaia	0,000-15,400 buna	2		6,00 m	deal
3+100	15+400					12,300		Ursoaia	Bascovele					
15+400	18+300						2,900	Bascovele	Bascovele	15,400-18,300 f. rea				
18+300	22+500					4,200		Bascovele	Cearesti	18,300-22,500 buna				
Total drum		0,000	0,000	0,000	3,100	16,500	2,900	Total drum: 22,500 km		(modernizat 3,100 km)				

37. DJ 704 F : Baiculesti (DN 7 C - km 20+600) - Tutana - Alunisu - Poienari (DJ 678 A - km 30+000)

Interval kilometric 0+000-15+600

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	1+000		1,000					Baiculesti	Baiculesti	0,000-2,135 buna				
1+600	2+135		0,535					Baiculesti	Tutana	2,135-6,600 f. buna	2		6,00 m	deal
2+135	6+600				4,465			Tutana	Alunisu	6,600-12,600 buna				
6+600	12+600					6,000		Alunisu	Alunisu	12,600-15,600 f. rea				
12+600	15+600						3,000	Alunisu	Poienari					
Total drum		0,000	1,535	0,000	4,465	6,000	3,000	Total drum: 15,000 km		(modernizat 6,000 km)				

Suprapuneri cu alte drumuri: 1,000-1,600 cu DJ 704H

38. DJ 704 G : Albesti (DN 7 C - km 39+420)-Cicanesti-Suici (DJ 703 H - km 15+980)

Interval kilometric 0+000-13+500

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	9+500				9,500			Albesti	Cicanesti	0,000-10,500 buna				
9+500	10+500					1,000		Cicanesti	Cicanesti	10,500-12,200 f. rea	2		6,00 m	deal
10+500	12+200						1,700	Cicanesti	Suici	12,200-13,500 buna				
12+200	13+500					1,300		Suici	Suici					
Total drum		0,000	0,000	0,000	9,500	2,300	1,700	Total drum: 13,500 km		(modernizat 9,500 km)				

39. DJ 704 H : Merisani (DN 7 C - km 10+710) - Baiculesti - Curtea de Arges (DN 73 C)

Interval kilometric 0+000-20+600

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14

0+000	4+350				4,350			Merisani	Merisani	0,000-4,350 buna	2		6,00 m	deal
4+350	5+850		1,500					Merisani	Merisani	4,350-10,090 f. buna				
5+850	10+090				4,240			Merisani	Baiculesti	10,090-17,000 buna				
10+090	17+600					7,510		Baiculesti	Baiculesti	17,000-17,600 buna				
17+600	20+600	3,000						Baiculesti	Curtea de Ag.	17,600-20,600 buna				
Total drum		3,000	1,500	0,000	8,590	7,510	0,000	Total drum: 20,600 km		(modernizat 13,090 km)				

40. DJ 704 I : Arefu (DN 7 C - km 61+500) - Lac Vidraru - Cumpana (DN 7 C - km 90+000)

Interval kilometric 0+000-21+500

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	21+500					21,500		Arefu	Arefu	0,000-14,500 rea	1		5,50 m	munte
										14,500-21,500 buna				
Total drum		0,000	0,000	0,000	0,000	21,500	0,000	Total drum: 21,500 km		(modernizat 0,000 km)				

NOTA ; Lungimea reala 21,141 km

41. DJ 723 : Lim. Jud. Dambovita - Boteni (DN 73 D)

Interval kilometric 6+390-9+390

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
6+390	9+390				3,000			Lim.Jud.D-ta	Boteni	6,390-9,390 buna	2		5,5 0 m	subalpin
Total drum		0,000	0,000	0,000	3,000	0,000	0,000	Total drum: 3,000 km		(modernizat 3,000 km)				

42. DJ 725 : Stoenesti (DN 72 A - km 55+640) - Dragoslavele (DN 73 - km 68+030)

Interval kilometric 0+000-10+540

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	3+313				3,313			Stoenesti	Stoenesti	0,000-1,813 buna	2		6,00 m	subalpin
3+313	6+626					3,313		Stoenesti	Dragoslavele	1,813-3,313 buna				
6+626	10+540				3,914			Dragoslavele	Dragoslavele	3,313-6,626 buna				
								Dragoslavele	Dragoslavele	6,626-10.540 f. buna				
								Dragoslavele	Dragoslavele					
Total drum		0,000	0,000	0,000	7,227	3,313	0,000	Total drum: 10,540 km		(modernizat 7,227 km)				

43. DJ 730 : Podu Dambovitei (DN 73 km 78+980) - Dambovicioara - Ciocanu - Lim. Jud. Brasov

Interval kilometric 0+000-10+238

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	10+238				10,238			P. Dimbovitei	Ciocanu	0,000-10.238 f. buna	1		0,0-9,5	munte
													4,00 m	
Total drum		0,000	0,000	0,000	10,238	0,000	0,000	Total drum: 10,238 km		(modernizat 10.238 km)				

44. DJ 730 A : Lim. Jud. Brasov - Podul Dimbovitei (DN 73)

Interval kilometric 7+713-24+713

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
7+713	24+713					17,000		Lim. Jud. Brasov	V. Cheii	7,713-14,713 rea	1		4,00 m	munte
								V. Cheii	P. Dimbovitei	14,713 -24,713 buna				
Total drum		0,000	0,000	0,000	0,000	17,000	0,000	Total drum: 17,000 km		(modernizat 0,000 km)				

45. DJ 731 : Piscani (DN 73 - km 12+700) - Domnesti - Bahna

Interval kilometric 0+000-66+797

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	29+327				29,327			Piscani	Domnesti	0,000-29,327 buna	2		6,00 m	deal
29+675	41+485				11,810			Domnesti	Corbi					
41+485	42+300					0,890		Corbi	Corbi	29,675-66,797 buna				
42+374	49+689				7,315			Corbi	Sboghitesti					
49+689	66+796					17,107		Sboghitesti	Sboghitesti					
Total drum		0,000	0,000	0,000	48,452	17,997	0,000	Total drum: 66,449km		(modernizat 48,452 km)				

Suprapuneri cu alte drumuri: 29,327-29,675 suprapunere cu DN 73C

46. DJ 731 B : Samara (DJ 703 A - km 24+380) - Babana - Richitele de Sus - Cocu (DJ 703 A)

Interval kilometric 0+000-19+200

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	1+700				1,700			Samara	Metofu	0,000-5,200 buna	2		6,00 m	deal
1+700	5+800					4,100		Metofu	Babana	5,200-19,200 buna				
5+800	6+050				0,250			Babana	Richitele					
6+050	19+200					13,150								
Total drum		0,000	0,000	0,000	1,950	17,250	0,000	Total drum: 19,200 km		(modernizat 1,950 km)				

Nota; Intersecteaza DJ 703E km.,5+800, lungimea reala este 18,136 km

47. DJ 731 C : Vetisoara (DJ 703 B - km 33+300) - Izvoru - Cocu (DJ 703 E)

Interval kilometric 0+000-13+000

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	2+500					2,500		Vetisoara	Vetisoara	0,000-2,500 buna	2		6,00 m	deal
2+500	3+500						1,000	Vetisoara	Vetisoara	2,500-5,800 rea				

3+500	5+800					2,300		Vetisoara	Izvoru	5,800-9,800 f.buna				
5+800	9+800				4,000			Izvoru	Izvoru	9,800-13,000 buna				
9+800	12+136					2,336		Izvoru	Izvoru					
12+136	13+000				0,864			Izvoru	Cocu					
Total drum		0,000	0,000	0,000	4,864	7,136	1,000	Total drum: 13,000 km		(modernizat 4,864 km)				

Nota : se intersecteaza cu DN 67 B la km 5+800

48. DJ 731 D : Micesti (DJ 740 - km 3+000) - Purcareni - Valea Nandrii - Ganesti (DJ 731 - km 19+488)

Interval kilometric 0+000-23+000

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	4+700				4,700			Argesel	Argesel	0,000-20,700 buna	2		6,00 m	deal
4+700	20+700					16,000		Argesel	Varzaroaia	20,700-23,000 f. buna				
20+700	23+000				2,300			Varzaroaia	Ganesti					
Total drum		0,000	0,000	0,000	7,000	16,000	0,000	Total drum: 23,000 km		(modernizat 7,000 km)				

49. DJ 732 : Stalpeni (DN 73 - km 24+320) - Vladesti - Slanic (DN 73 C - km 13+200)

Interval kilometric 0+000-25+188

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	25+188				25,188			Stalpeni	Slanic	0,000-25,188 buna	2		6,00 m	deal
Total drum		0,000	0,000	0,000	25,188	0,000	0,000	Total drum: 25,188 km		(modernizat 25,188 km)				

50. DJ 732 A : Titesti (DN 73 - km 18+630) - Bajesti - Balilesti (DJ 732 - km 5+300)

Interval kilometric 0+000-6+800

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	2+400	2,400						Titesti	Bajesti	0,000-6,800 buna	2		6,00 m	deal
2+400	6+800				4,400			Bajesti	Balilesti					
Total drum		2,400	0,000	0,000	4,400	0,000	0,000	Total drum: 6,800 km		(modernizat 6,800 km)				

51. DJ 732 B : Valea Silistii (DJ 732 - km 21+050) - Aninoasa - Berevoiesti (DN 73C km. 8+350)

Interval kilometric 0+000 - 6+444

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	3+960				3,960			V. Silistii	Aninoasa	0,000-6,444 buna	2		6,00 m	deal
3+960	6+444	2,484						Aninoasa	Berevoiesti					
Total drum		2,484	0,000	0,000	3,960	0,000	0,000	Total drum: 6,444km		(modernizat 6,444 km)				

52. DJ 732 C : Campulung (DN 73 - km 37+850) - Bughea de Jos - Malu - Godeni - Capu Piscului - Lazaresti (DN 73 km 37+840)

Intervalul kilometric 0+000-19+010

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	0+250				0,250			Campulung	Campulung	0,000-1+738 f. buna	0,00-		6,00 m	deal
0+250	0+950		0,700					Campulung	Campulung	1,738-4,340 buna	5,00			
0+950	6+900				5,950			Campulung	Bughea	4,340 -6,900 f. buna	2 benzi			
6+900	8+700					1,800		Bughea	Godeni	6,900-10,870 buna	5,5-6,5			
8+700	12+610				3,910			Godeni	Godeni	10,870-11,870 f. buna	1 banda		4,00 m	
12+610	14+610	2,000						Godeni	Cotesti	11,870-19,010 buna	6,5-			
14+610	16+973				2,363			Cotesti	Cotesti		19,01		6,00m	
16+973	19+010	2,037						Cotesti	C. Piscului		2 benzi			
Total drum		4,037	0,700	0,000	12,473	1,800	0,000	Total drum: 19,010km		(modernizat 17,210 km)				

Nota: Intersecteaza DN 73 C la km 12+610

53. DJ 734 : Voinesti (DN 73 - km 54+000) - Leresti - Voina

Interval kilometric 0+000-19+232

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	19+232				19,232			Leresti	Voina	0,000-19,232 f. buna	2		6,00	0,0-6,0 deal

											2		6,00	6,0-19,232 munte
Total drum		0,000	0,000	0,000	19,232	0,000	0,000	Total drum: 19,232km		(modernizat 19,232 km)				

54. DJ 735 : Campulung (DN 73) - Albesti - Candesti

Interval kilometric 0+000-11+870

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	10+900				10,900			Campulung	Albesti-Candesti	0,000-11,870. buna	2		6,00	deal
10+900	11+870					0,970		Albesti-Candesti	Albesti-Candesti					
Total drum		0,000	0,000	0,000	10,900	0,970	0,000	Total drum: 11,870km		(modernizat 10,900 km)				

55. DJ 737 : Campulung (DN 73) - Matau - Cocenesti - Boteni (DN 73 D - km 37+934)

Interval kilometric 0+000-13+730

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	0+450	0,450						Campulung	Campulung	0,000-13.730 . buna	2		6,00	deal
0+450	3+065				2,615			Campulung	Campulung					
3+065	7+200		4,135					Campulung	Mioarele					
7+200	9+000				1,800			Mioarele	Matau					
9+000	12+730					3,730		Matau	Boteni					
12+730	13+730				1,000			Boteni	Boteni					
Total drum		0,450	4,135	0,000	5,415	3,730	0,000	Total drum: 13,730km		(modernizat 10,000 km)				

56. DJ 738 : Poienari (DN 73 - km 44+500) - Jugur - Draghici - Mihaesti (DC 11)

Interval kilometric 0+000-22+300

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	8+900	8,900						Poienari	Jugur	0,000-21,400 buna	2		6,00	deal

8+900	10+200				1,300			Jugur	Draghici	21,700 - 22,300 . buna				
10+200	13+600					3,400		Draghici	Mihaesti					
13+600	21+400				7,800									
21+700	22+300				0,600									
Total drum	8,900	0,000	0,000	9,700	3,400	0,000	0,000	Total drum: 22,000km	(modernizat 18,600 km)					

Suprapuneri cu alte drumuri: 21,400 - 21,700 suprapunere cu DN 73 ;

57. DJ 739 : Barzesti (DN 73 D - km 21+930) - Negresti - Zgriptesti - Beleti (DJ 702 - km 12+000)

Interval kilometric 0+000-17+000

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	0+474				0,474			Barzesti	Barzesti	0,000-0,474 f. buna	2		6,00	deal
0+474	2+300					1,826		Negresti	Negresti	0,474-2,300 buna				
2+300	9+800						7,500	Negresti	Negresti	2,300-9,800 f. rea				
9+800	12+000					2,200		Negresti	Beleti	9,800-12,000 buna				
12+000	17+000				5,000			Beleti	Beleti	12,000-17,000 f. buna				
Total drum	0,000	0,000	0,000	5,474	4,026	7,500	0,000	Total drum: 17,000km	(modernizat 5,474 km)					

58. DJ 740 : Maracineni (DN 73 km. 4+900) - Micesti - Pauleasca - Zarnesti (DJ 703 I)

Interval kilometric 0+000-17+000

Pozitii kilometrice		Lungimea sectorului pe tip de imbracaminte						Localitatile sectorului		Stare de viabilitate	Nr.	Decliv	Latime	Relief
Inceput	Sfarsit	BA	BC	PV	IU	IM	PM	Inceput	Sfarsit		benzi	≥ 7%	carosabil	
0	1	2	3	4	5	6	7	8	9	10	11	12	13	14
0+000	8+600				8,600			Maracineni	Micesti	0,000-8,600 buna	2		6,00	deal
8+600	12+500					3,900		Micesti	Pauleasa	6,600-8,600 . buna				
12+500	15+500						3,000	Pauleasa	Zarnesti	8,600-12,500 buna				
15+500	16+400					0,900		Zarnesti	Zarnesti	12,500-15,450 rea				
16+400	17+000				0,600					15,450-17,000 buna				
Total drum	0,000	0,000	0,000	9,200	4,800	3,000	0,000	Total drum: 17,000km	(modernizat 9,200 km)					

59. DJ 741 : Pitesti (DN 7 - km 111+900) - Valea Mare - Fagetu - Mioveni (DN 73 D km 2+200)

Total drum	0,000	0,000	0,000	2,500	2,500	0,000	Total drum: 5.000 km	(modernizat 2.500 km)				
------------	-------	-------	-------	-------	-------	-------	----------------------	-----------------------	--	--	--	--

TOTAL GENERAL	50,751	12,405	0,450	706,627	387,673	36,042	TOTAL DR. JUDETENE :	1.193,948	km
+							Modernizati :	770,233	km

SEF TEHNIC,
GRIGORE MARIA

INTOCMIT,
MALAI REBECA